



Bona Remover

POLISH REMOVAL AGENT

Concentrated polish remover safe on wood



Concentrated polish remover

Concentrated polish remover with balanced pH for safe use on wood floors. In addition to removing polish it is also effective for removing scuff marks. Low foaming and low odour. Adapted for wood but possible to use on most types of water-resistant floorings including tiles, vinyl and linoleum floors.

- Balanced stripping agent for safe use on wood
- Effective on Bona's Polishes and many other types of polish
- Low odor and foaming formulation
- Concentrated



Bona Remover

POLISH REMOVAL AGENT

Concentrated polish remover safe on wood

TECHNICAL DATA

pH-value:	Concentrate ca. 9 Working solution ca. 8
Dilution:	1 litre to 1-5 litres of water (17-50 % of Remover)
Application tools:	Nylon pads, buffing machine, cleaning mop
Safety:	Classified, see Safety Data Sheet for more information.
Shelf life:	At least 2 years, from the date of production, in unopened original container
Storage/Transport:	The temperature must not fall below +5°C or exceed +25°C during storage and transport.
Disposal:	Waste and emptied containers should be handled in accordance with local regulations.
Pack size:	6 x 1 litres (60 boxes per pallet)

Additional detailed information is noted in the appropriate Safety Data Sheet.

PREPARATION

Remove loose dust/grit using a vacuum cleaner, scissor mop or other dry-cleaning method. Bona Remover can be used in concentrations 1:1–1:5. Test on a small area to determine the concentration required to influence the

polish. The upper polish layer should be significantly softer and easy to scratch within 5 minutes if the concentration is satisfactory. TEST MT 2



Bona Remover

POLISH REMOVAL AGENT

Concentrated polish remover safe on wood

DIRECTIONS FOR USE

1. Apply the diluted product to a section of the floor using a mop or spray equipment. Allow the solution approx. 5 minutes to dissolve the polish.
2. Scrub the section using a buffing machine equipped with a red or green pad.
3. Immediately remove the dissolved polish with a wet vacuum or the Bona PowerScrubber. Alternatively, a mop and a bucket of clean water can be used.
4. It may be necessary to re-apply Bona Remover several times depending on how thick the old polish build up is.
5. When the entire floor has been treated, clean once more with only pure water. It is important that all traces of Bona Remover are removed before applying a new layer of polish or refresher.

Note: The amount of water applied to the floor must be kept to a minimum. Pay attention to large gaps in the floor, do not allow excessive amounts of cleaning solution to seep into open gaps

Removal of scuff marks

Mix a 20% concentrate in a spray bottle. Spray the diluted product to the scuff mark or the affected area. After a few minutes scrub with a gentle non-abrasive scouring pad (white or red pad) and wipe off.

The information in this document and all other advice and recommendations that we provide to help and assist the applicator are based on previous experience and extensive testing but makes no claim to be complete. Because of the wide range of possible uses and conditions of application of our products, we do not relieve users from the need to carry out their own trials or to seek technical advice from Bona before use. Bona can only guarantee its products and not the construction as a whole. Observe recommendations from flooring manufacturer and the provisions of relevant standards.